# antibodies .- online.com







## anti-TARSL2 antibody (AA 380-408)





$\sim$	
( )\/⊝	view
$\circ$	V I C V V

Molecular Weight:

92646

Quantity:	400 μL
Target:	TARSL2
Binding Specificity:	AA 380-408
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TARSL2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This TARSL2 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 380-408 amino acids from the Central region of human TARSL2.
Clone:	RB19648
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Purification: Target Details	This antibody is purified through a protein A column, followed by peptide affinity purification.
	This antibody is purified through a protein A column, followed by peptide affinity purification.  TARSL2

#### **Target Details**

Gene ID:	123283
NCBI Accession:	NP_689547
UniProt:	A2RTX5


#### **Application Details**

Application Notes:	WB: 1:1000. WB: 1:1000
Restrictions:	For Research Use only

#### Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

#### **Images**



### **Western Blotting**

**Image 1.** Anti-TARSL2 Antibody (Center) at 1:1000 dilution + 293 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 93 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.



#### **Western Blotting**

**Image 2.** Western blot analysis of TARSL2 Antibody (Center) (ABIN652597 and ABIN2842401) in NIH-3T3 cell line lysates (35  $\mu$ g/lane). TARSL2 (arrow) was detected using the purified Pab.