antibodies -online.com





anti-BANK1 antibody (AA 119-146)

2 Images



Go to Product page

\sim	
()\/\	rview
\circ	

Quantity:	400 μL
Target:	BANK1
Binding Specificity:	AA 119-146
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BANK1 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS)
Product Details	
Immunogen:	This BANK1 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 119-146 amino acids from the Central region of human BANK1.
Clone:	RB21573
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	BANK1
Alternative Name:	BANK1 (BANK1 Products)
Background:	BANK1 is a B-cell-specific scaffold protein and LYN (MIM 165120) tyrosine kinase substrate

Target Details

Expiry Date:

l arget Details	
	that promotes tyrosine phosphorylation of inositol 1,4,5-trisphosphate receptors.
Molecular Weight:	89282
Gene ID:	55024
NCBI Accession:	NP_001077376, NP_001120979, NP_060405
UniProt:	Q8NDB2
Application Details	
Application Notes:	WB: 1:1000. FC: 1:10~50
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small

aliquots to prevent freeze-thaw cycles.

6 months





Image 1. BAN

Image 1. BANK1 Antibody (Center) (ABIN652611 and ABIN2842409) flow cytometric analysis of HepG2 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. Western blot analysis of BANK1 Antibody (Center) (ABIN652611 and ABIN2842409) in HepG2 cell line lysates (35 μ g/lane). BANK1 (arrow) was detected using the purified Pab.