# antibodies - online.com







## anti-IL1RAPL2 antibody (AA 372-401)



**Images** 




$\sim$				
	$ V \cap$	r\/I	19	٨

Overview		
Quantity:	400 μL	
Target:	IL1RAPL2	
Binding Specificity:	AA 372-401	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IL1RAPL2 antibody is un-conjugated	
Application:	Western Blotting (WB), Flow Cytometry (FACS)	
Product Details		
Immunogen:	This IL1RAPL2 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 372-401 amino acids from the Central region of human IL1RAPL2.	
Clone:	RB23483	
Isotype:	lg Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	IL1RAPL2	
Alternative Name:	IL1RAPL2 (IL1RAPL2 Products)	
Background:	IL1RAPL2 is a member of the interleukin 1 receptor family. This protein is similar to the	


Target Details		
	interleukin 1 accessory proteins, and is most closely related to interleukin 1 receptor accessory protein-like 1 (IL1RAPL1).	
Molecular Weight:	78670	
Gene ID:	26280	
NCBI Accession:	NP_059112	
UniProt:	Q9NP60	
Application Details		
Application Notes:	WB: 1:1000. WB: 1:1000. FC: 1:10~50	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
5 ((		

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	




### **Flow Cytometry**

**Image 1.** IL1RL2 Antibody (Center) 8817c flow cytometry analysis of K562 cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goatanti-rabbit secondary antibodies were used for the analysis.



#### **Western Blotting**

**Image 2.** Western blot analysis of IL1RL2 Antibody (Center) 8817c in K562 cell line lysates (35  $\mu$ g/lane). IL1RL2 (arrow) was detected using the purified Pab.



### **Western Blotting**

**Image 3.** Western blot analysis of IL1RL2 Antibody (Center) 8817c in mouse NIH-3T3 cell line lysates (35  $\mu$ g/lane). IL1RL2 (arrow) was detected using the purified Pab.