



[Go to Product page](#)

Datasheet for ABIN653266

anti-Parvin alpha antibody (C-Term)

2 Images

Overview

Quantity:	400 µL
Target:	Parvin alpha (PARVA)
Binding Specificity:	AA 323-351, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This PARVA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 323-351 amino acids from the C-terminal region of human PARVA.
Clone:	RB23246
Isotype:	Ig Fraction
Predicted Reactivity:	Rat
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	Parvin alpha (PARVA)
Alternative Name:	PARVA (PARVA Products)
Background:	PARVA is members of the parvin family, including PARVA, are actin-binding proteins associated

Target Details

with focal contacts.

Molecular Weight: 42244

Gene ID: 55742

NCBI Accession: [NP_060692](#)

UniProt: [Q9NVD7](#)

Pathways: [Smooth Muscle Cell Migration](#)

Application Details

Application Notes: WB: 1:1000. IHC-P: 1:10~50

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.

Expiry Date: 6 months



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. RVA Antibody (C-term) (ABIN653266 and ABIN2842784) IHC analysis in formalin fixed and paraffin embedded human skeletal muscle tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the RVA Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. Western blot analysis of RVA Antibody (C-term) (ABIN653266 and ABIN2842784) in mouse bladder tissue lysates (35 µg/lane). RVA (arrow) was detected using the purified b.