antibodies -online.com





anti-FAM96B antibody (N-Term)

3

Images



Go to Product page

\sim			
	N/6	1//r	$I \cap V$

OVEIVIEW		
Quantity:	400 μL	
Target:	FAM96B	
Binding Specificity:	AA 16-45, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FAM96B antibody is un-conjugated	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		
Immunogen:	This FA96B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 16-45 amino acids from the N-terminal region of human FA96B.	
Clone:	RB24840	
Isotype:	lg Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	FAM96B	
Alternative Name:	FA96B (FAM96B Products)	

Target Details

Molecular Weight:	17663
Gene ID:	51647
NCBI Accession:	NP_057146
UniProt:	Q9Y3D0


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images




Flow Cytometry

Image 1. FA96B Antibody (N-term) (ABIN653317 and ABIN2842809) flow cytometric analysis of cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

 $\label{eq:mage 2.} \textbf{ Western blot analysis of FA96B Antibody (N-term)} \\ \textbf{ (ABIN653317 and ABIN2842809) in cell line lysates (35 μ g/lane). FA96B (arrow) was detected using the purified Pab. } \\$



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Formalin-fixed and paraffin-embedded human skin reacted with FA96B Antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.