antibodies -online.com





anti-DIRAS1 antibody (AA 109-136)





Go to	D		
	Pron	ויאווו	Dage

Overview	
Quantity:	400 μL
Target:	DIRAS1
Binding Specificity:	AA 109-136
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DIRAS1 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This DIRAS1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 109-136 amino acids from the Central region of human DIRAS1.
Clone:	RB23689
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	DIRAS1
Alternative Name:	DIRAS1 (DIRAS1 Products)

Target Details


Background:	DIRAS1 belongs to a distinct branch of the functionally diverse Ras (see HRAS, MIM 190020) superfamily of monomeric GTPases.
Molecular Weight:	22329
Gene ID:	148252
NCBI Accession:	NP_660156
UniProt:	095057
Pathways:	Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly

Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months




Flow Cytometry

Image 1. DIRAS1 Antibody (Center) (ABIN653351 and ABIN2842831) flow cytometry analysis of MDA-M cells (bottom histogram) compared to a negative control cell (top histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. Western blot analysis of DIRAS1 Antibody (Center) (ABIN653351 and ABIN2842831) in CEM cell line lysates (35 μ g/lane). DIRAS1 (arrow) was detected using the purified Pab.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Formalin-fixed and paraffin-embedded human brain tissue reacted with DIRAS1 Antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.