antibodies .- online.com







anti-Importin 11 antibody (C-Term)



Image



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

0.101.1011		
Quantity:	400 μL	
Target:	Importin 11 (IPO11)	
Binding Specificity:	AA 891-920, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Importin 11 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	This IPO11 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 891-920 amino acids from the C-terminal region of human IPO11.	
Clone:	RB24373	
Isotype:	lg Fraction	
Predicted Reactivity:	М	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	Importin 11 (IPO11)	
Alternative Name:	IPO11 (IPO11 Products)	

Target Details

Background:

IPO11 functions in nuclear protein import as nuclear transport receptor. It serves as receptor for nuclear localization signals (NLS) in cargo substrates and is thought to mediate docking of the importin/substrate complex to the nuclear pore complex (NPC) through binding to nucleoporin and the complex is subsequently translocated through the pore by an energy requiring, Ran-dependent mechanism. At the nucleoplasmic side of the NPC, Ran binds to the importin, the importin/substrate complex dissociates and importin is re-exported from the nucleus to the cytoplasm where GTP hydrolysis releases Ran. The directionality of nuclear import is thought to be conferred by an asymmetric distribution of the GTP-and GDP-bound forms of Ran between the cytoplasm and nucleus (By similarity). It mediates the nuclear import of UBE2E3, and of RPL12 (By similarity).

Molecular Weight: 112535

Gene ID: 51194

NCBI Accession: NP_001128251, NP_057422

UniProt: Q9UI26

Pathways: Protein targeting to Nucleus


Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	



Western Blotting

Image 1. Western blot analysis of IPO11 Antibody (C-term) (ABIN653614 and ABIN2842973) in CEM cell line lysates (35 μ g/lane). IPO11 (arrow) was detected using the purified Pab.