

Datasheet for ABIN653783
anti-C19orf18 antibody (AA 140-168)

3 Images

[Go to Product page](#)

Overview

Quantity:	400 µL
Target:	C19orf18
Binding Specificity:	AA 140-168
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C19orf18 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This C19orf18 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 140-168 amino acids from the Central region of human C19orf18.
Clone:	RB23072
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	C19orf18
Alternative Name:	C19orf18 (C19orf18 Products)

Target Details

Gene ID:	147685
NCBI Accession:	NP_689687
UniProt:	Q8NEA5


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images




Flow Cytometry

Image 1. C19orf18 Antibody (Center) (ABIN653783 and ABIN2843070) flow cytometric analysis of Ramos cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. Western blot analysis of C19orf18 Antibody (Center) (ABIN653783 and ABIN2843070) in Ramos cell line lysates (35 µg/lane). C19orf18 (arrow) was detected using the purified Pab.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. C19orf18 Antibody (Center) (ABIN653783 and ABIN2843070) IHC analysis in formalin fixed and paraffin embedded testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the C19orf18 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.