antibodies - online.com







anti-BASP1 antibody (AA 123-150)





\sim	
()\/△	rview
\cup	1 410 44

Quantity:	400 μL
Target:	BASP1
Binding Specificity:	AA 123-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BASP1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This BASP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 123-150 amino acids from the Central region of human BASP1.
Clone:	RB23952
Isotype:	IgG
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	BASP1
Alternative Name:	BASP1 (BASP1 Products)
Background:	BASP1 encodes a membrane bound protein with several transient phosphorylation sites and

Target Details

	PEST motifs. Conservation of proteins with PEST sequences among different species supports
	their functional significance. PEST sequences typically occur in proteins with high turnover
	rates. Immunological characteristics of this protein are species specific. This protein also
	undergoes N-terminal myristoylation.
Molecular Weight:	22693
Gene ID:	10409
NCBI Accession:	NP_001258535, NP_006308

UniProt:


P80723

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



Western Blotting

Image 1. Anti-BASP1 Antibody (Center) at 1:1000 dilution + U-251 MG whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 23 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.