

Datasheet for ABIN653979  
**anti-C6ORF58 antibody (AA 205-233)**



[Go to Product page](#)

4 Images

## Overview

Quantity:	400 µL
Target:	C6ORF58
Binding Specificity:	AA 205-233
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C6ORF58 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This C6orf58 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 205-233 amino acids from the Central region of human C6orf58.
Clone:	RB27580
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	C6ORF58
Alternative Name:	C6orf58 ( <a href="#">C6ORF58 Products</a> )

## Target Details

Molecular Weight:	37926
Gene ID:	352999
NCBI Accession:	<a href="#">NP_001010905</a>
UniProt:	<a href="#">Q6P5S2</a>


## Application Details

Application Notes:	WB: 1:1000. WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

## Images




### Flow Cytometry

**Image 1.** C6orf58 Antibody (Center) (ABIN653979 and ABIN2843925) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



#### Western Blotting

**Image 2.** Anti-C6orf58 Antibody (Center) at 1:1000 dilution + human liver lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 38 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.



#### Western Blotting

**Image 3.** C6orf58 Antibody (Center) (ABIN653979 and ABIN2843925) western blot analysis in K562 cell line lysates (35 µg/lane). This demonstrates the C6orf58 antibody detected the C6orf58 protein (arrow).

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN653979.