

Datasheet for ABIN654041  
**anti-PARPBP antibody (C-Term)**[Go to Product page](#)

## 3 Images

## Overview

Quantity:	400 µL
Target:	PARPBP
Binding Specificity:	AA 522-550, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PARPBP antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This C12orf48 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 522-550 amino acids from the C-terminal region of human C12orf48.
Clone:	RB27778
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	PARPBP
Alternative Name:	C12orf48 ( <a href="#">PARPBP Products</a> )

## Target Details

Molecular Weight:	65054
Gene ID:	55010
NCBI Accession:	<a href="#">NP_060385</a>
UniProt:	<a href="#">Q9NWS1</a>


## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

## Images




### Flow Cytometry

**Image 1.** C12orf48 Antibody (C-term) (ABIN654041 and ABIN2843950) flow cytometric analysis of A549 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



### Western Blotting

**Image 2.** C12orf48 Antibody (C-term) (ABIN654041 and ABIN2843950) western blot analysis in A549 cell line lysates (35 µg/lane). This demonstrates the C12orf48 antibody detected the FBXO34 protein (arrow).



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 3.** C12orf48 antibody (C-term) (ABIN654041 and ABIN2843950) immunohistochemistry analysis in formalin fixed and paraffin embedded human lymph tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the C12orf48 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.