## .-online.com antibodies

# Datasheet for ABIN654263 anti-VWA3B antibody (C-Term)

3 Images



## Overview

Quantity:	400 µL
Target:	VWA3B
Binding Specificity:	AA 1178-1207, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VWA3B antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This VWA3B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1178-1207 amino acids from the C-terminal region of human VWA3B.
Clone:	RB27820
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.


## Target Details

Target:	VWA3B
Alternative Name:	VWA3B (VWA3B Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN654263 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	145748
Gene ID:	200403
NCBI Accession:	NP_659429
UniProt:	Q502W6
Application Details	
Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months


## Images



## Flow Cytometry


**Image 1.** VWA3B Antibody (C-term) (ABIN654263 and ABIN2844080) flow cytometric analysis of Neuro-2a cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN654263 | 09/12/2023 | Copyright antibodies-online. All rights reserved.



#### Western Blotting

**Image 2.** VWA3B Antibody (C-term) (ABIN654263 and ABIN2844080) western blot analysis in mouse Neuro-2a cell line lysates (35 µg/lane).This demonstrates the VWA3B antibody detected the VWA3B protein (arrow).



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 3.** VWA3B antibody (C-term) (ABIN654263 and ABIN2844080) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the VWA3B antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN654263 | 09/12/2023 | Copyright antibodies-online. All rights reserved.