antibodies -online.com





anti-ATPBD3 antibody (AA 208-236)





Overview	
Quantity:	400 μL
Target:	ATPBD3 (CTU1)
Binding Specificity:	AA 208-236
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATPBD3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This ATPBD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 208-236 amino acids from the Central region of human ATPBD3.
Clone:	RB27948
Isotype:	Ig Fraction
Predicted Reactivity:	В
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	ATPBD3 (CTU1)
Alternative Name:	ATPBD3 (CTU1 Products)

Target Details

Molecular Weight:	36450
Gene ID:	90353
NCBI Accession:	NP_660275
UniProt:	Q7Z7A3


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. ATPBD3 antibody (Center) (ABIN654307 and ABIN2844091) immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ATPBD3 antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. ATPBD3 Antibody (Center) (ABIN654307 and ABIN2844091) western blot analysis in mouse liver tissue lysates (35 μ g/lane). This demonstrates the ATPBD3 antibody detected the ATPBD3 protein (arrow).