.-online.com antibodies

Datasheet for ABIN654480 anti-ZNF98 antibody (C-Term)

3 Images



Overview

Quantity:	400 µL
Target:	ZNF98
Binding Specificity:	AA 520-549, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF98 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This ZNF98 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 520-549 amino acids from the C-terminal region of human ZNF98.
Clone:	RB28157
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.


Target Details

Target:	ZNF98
Alternative Name:	ZNF98 (ZNF98 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN654480 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	May be involved in transcriptional regulation.
Molecular Weight:	65799
NCBI Accession:	NP_001092096
UniProt:	A6NK75
Application Details	
Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months


Images



Flow Cytometry


Image 1. ZNF98 Antibody (C-term) (ABIN654480 and ABIN2844215) flow cytometric analysis of MDA-M cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN654480 | 09/12/2023 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 2. ZNF98 Antibody (C-term) (ABIN654480 and ABIN2844215) western blot analysis in MDA-M cell line lysates (35 µg/lane).This demonstrates the ZNF98 antibody detected the ZNF98 protein (arrow).



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. ZNF98 antibody (C-term) (ABIN654480 and ABIN2844215) immunohistochemistry analysis in formalin fixed and paraffin embedded human lymphnode followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ZNF98 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN654480 | 09/12/2023 | Copyright antibodies-online. All rights reserved.