antibodies -online.com







anti-ZNF780A antibody (N-Term)

Images



\sim				
	$ V \cap$	r\/I	19	٨

Background:

Quantity:	400 μL	
Target:	ZNF780A	
Binding Specificity:	AA 54-83, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ZNF780A antibody is un-conjugated	
Application:	Western Blotting (WB), Flow Cytometry (FACS)	
Product Details		
Immunogen:	This ZNF780A antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 54-83 amino acids from the N-terminal region of human ZNF780A.	
Clone:	RB28183	
Isotype:	Ig Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	ZNF780A	
Alternative Name:	ZNF780A (ZNF780A Products)	

May be involved in transcriptional regulation (By similarity).

Target Details

Molecular Weight:	74531
Gene ID:	284323
NCBI Accession:	NP_001010880, NP_001136050, NP_001136051
UniProt:	075290


Application Details

Application Notes:	WB: 1:1000. FC: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	

Validation report #103541 for Western Blotting (WB)



Flow Cytometry

Image 1. ZNF780A Antibody (N-term) (ABIN654493 and ABIN2844225) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. ZNF780A Antibody (N-term) (ABIN654493 and ABIN2844225) western blot analysis in 293 cell line lysates (35 μ g/lane).This demonstrates the ZNF780A antibody detected the ZNF780A protein (arrow).