

Datasheet for ABIN654509  
**anti-ZNF667 antibody (AA 303-331)**

## 3 Images

[Go to Product page](#)

## Overview

Quantity:	400 µL
Target:	ZNF667
Binding Specificity:	AA 303-331
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF667 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This ZNF667 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 303-331 amino acids from the Central region of human ZNF667.
Clone:	RB28195
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	ZNF667
Alternative Name:	ZNF667 ( <a href="#">ZNF667 Products</a> )

## Target Details




Background:	May be involved in transcriptional regulation (By similarity).
Molecular Weight:	70161
Gene ID:	63934
NCBI Accession:	<a href="#">NP_071386</a>
UniProt:	<a href="#">Q5HYK9</a>

## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



### Flow Cytometry

**Image 1.** ZN Antibody (Center) (ABIN654509 and ABIN2844236) flow cytometric analysis of CEM cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

### Western Blotting

**Image 2.** ZN Antibody (Center) (ABIN654509 and ABIN2844236) western blot analysis in CEM cell line lysates (35 µg/lane). This demonstrates the ZN antibody detected the ZN protein (arrow).

### Immunohistochemistry (Paraffin-embedded Sections)

**Image 3.** ZN Antibody (Center) (ABIN654509 and ABIN2844236) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ZN Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.