antibodies - online.com







anti-C110RF74 antibody (C-Term)

Images



\sim					
()	VE	۲۱	/1	\triangle	Λ

0.0		
Quantity:	400 μL	
Target:	C110RF74	
Binding Specificity:	AA 190-220, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C110RF74 antibody is un-conjugated	
Application:	Western Blotting (WB), Flow Cytometry (FACS)	
Product Details		
Immunogen:	This C11orf74 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 190-220 amino acids from the C-terminal region of human C11orf74.	
Clone:	RB27840	
Isotype:	Ig Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	C110RF74	
Alternative Name:	C11orf74 (C110RF74 Products)	
Background:	The exact function of C11orf74 remains unknown.	

Target Details


Molecular Weight:	25407
Gene ID:	119710
NCBI Accession:	NP_001263651, NP_001263652, NP_001263653, NP_001263654, NP_001263655, NP_001263656, NP_620142
UniProt:	Q86VG3

Application Details

Application Notes:	WB: 1:1000. FC: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



Flow Cytometry

Image 1. C11orf74 Antibody (C-term) (ABIN654535 and ABIN2844253) flow cytometric analysis of CEM cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. C11orf74 Antibody (C-term) (ABIN654535 and ABIN2844253) western blot analysis in CEM cell line lysates (35 μ g/lane).This demonstrates the C11orf74 antibody detected the C11orf74 protein (arrow).