antibodies -online.com





anti-FNIP2 antibody (C-Term)

3 Images



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	400 μL	
Target:	FNIP2	
Binding Specificity:	AA 776-804, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FNIP2 antibody is un-conjugated	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		
Immunogen:	This FNIP2 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 776-804 amino acids from the C-terminal region of human FNIP2.	
Clone:	RB30097	
Isotype:	lg Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	FNIP2	
Alternative Name:	FNIP2 (FNIP2 Products)	

Target Details

Molecular Weight:	122115
Gene ID:	57600
NCBI Accession:	NP_065891
UniProt:	Q9P278


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	

Images




Flow Cytometry

Image 1. FNIP2 Antibody (C-term) (ABIN654611 and ABIN2844311) flow cytometric analysis of Hela cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

Н	ela
250	
130	
95	-4
72	
55	

Western Blotting

Image 2. FNIP2 Antibody (C-term) (ABIN654611 and ABIN2844311) western blot analysis in Hela cell line lysates (35 μ g/lane). This demonstrates the FNIP2 antibody detected the FNIP2 protein (arrow).



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. FNIP2 antibody (C-term) (ABIN654611 and ABIN2844311) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the FNIP2 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.