



[Go to Product page](#)

Datasheet for ABIN654752  
**anti-PLEKHG1 antibody (C-Term)**

2 Images

Overview

Quantity:	400 µL
Target:	PLEKHG1
Binding Specificity:	AA 1273-1302, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PLEKHG1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This PKHG1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1273-1302 amino acids from the C-terminal region of human PKHG1.
Clone:	RB28671
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	PLEKHG1
Alternative Name:	PKHG1 ( <a href="#">PLEKHG1 Products</a> )
Molecular Weight:	155439

## Target Details

Gene ID: 57480

NCBI Accession: [NP\\_001025055](#)

UniProt: [Q9ULL1](#)

## Application Details

Application Notes: WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

## Images



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** PKHG1 Antibody (C-term) (ABIN654752 and ABIN2844434) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the PKHG1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



### Western Blotting

**Image 2.** PKHG1 Antibody (C-term) (ABIN654752 and ABIN2844434) western blot analysis in 293 cell line lysates (35 µg/lane). This demonstrates the PKHG1 antibody detected the PKHG1 protein (arrow).