antibodies - online.com







anti-RBMX2 antibody (C-Term)

Images



$C_0 + c$	Produc	+
	Promi	บ กลกย

Overview
Quantity:

Quantity:	400 μL
Target:	RBMX2
Binding Specificity:	AA 242-271, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBMX2 antibody is un-conjugated

Product Details

Application:

- 10 days 2 dame	
Immunogen:	This RBMX2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 242-271 amino acids from the C-terminal region of human RBMX2.
Clone:	RB28673
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Target Details

Target:	RBMX2
Alternative Name:	RBMX2 (RBMX2 Products)
Molecular Weight:	37336

Target Details

Gene ID:	51634
NCBI Accession:	NP_057108
UniProt:	Q9Y388


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. RBMX2 Antibody (C-term) (ABIN654753 and ABIN2844435) immunohistochemistry analysis in formalin fixed and paraffin embedded human spleen tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the RBMX2 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. RBMX2 Antibody (C-term) (ABIN654753 and ABIN2844435) western blot analysis in A549 cell line lysates (35 μ g/lane).This demonstrates the CatMX2 antibody detected the RBMX2 protein (arrow).