



[Go to Product page](#)

Datasheet for ABIN654768

anti-ODF3B antibody (N-Term)

2 Images

Overview

Quantity:	400 µL
Target:	ODF3B
Binding Specificity:	AA 19-47, N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ODF3B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This ODF3B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 19-47 amino acids from the N-terminal region of human ODF3B.
Clone:	RB28703
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	ODF3B
Alternative Name:	ODF3B (ODF3B Products)
Molecular Weight:	27280

Target Details

Gene ID: 440836

NCBI Accession: [NP_001014440](#)

UniProt: [A8MYP8](#)

Application Details

Application Notes: WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. ODF3B antibody (N-term) (ABIN654768 and ABIN2844448) immunohistochemistry analysis in formalin fixed and paraffin embedded human hepatocarcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ODF3B antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. ODF3B Antibody (N-term) (ABIN654768 and ABIN2844448) western blot analysis in mouse heart tissue lysates (35 µg/lane). This demonstrates the ODF3B antibody detected the ODF3B protein (arrow).