antibodies -online.com





anti-CDKN2C antibody (C-Term)

3 Images



Go to Product page

() () () ()	11011
Over	$v \bowtie v$
0.0.	

Overview	
Quantity:	400 μL
Target:	CDKN2C
Binding Specificity:	AA 113-139, C-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CDKN2C antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This CDKN2C antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 113-139 amino acids from the C-terminal region of human CDKN2C.
Clone:	RB20696
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Torget Detaile	
Target Details	
Target:	CDKN2C
Alternative Name:	CDKN2C (CDKN2C Products)
Background:	The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase

inhibitors. This protein has been shown to interact with CDK4 or CDK6, and prevent the		
activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle		
G1 progression. Ectopic expression of this gene was shown to suppress the growth of human		
cells in a manner that appears to correlate with the presence of a wild-type RB1 function.		
Studies in the knockout mice suggested the roles of this gene in regulating spermatogenesis,		
as well as in suppressing tumorigenesis. Two alternatively spliced transcript variants of this		
gene, which encode an identical protein, have been reported.		

 Molecular Weight:
 18127

 Gene ID:
 1031

 NCBI Accession:
 NP_001253, NP_523240

 UniProt:
 P42773

Cell Division Cycle, Mitotic G1-G1/S Phases

Application Details

Application Notes: WB: 1:2000. WB: 1:1000. IHC-P: 1:50~100


Restrictions: For Research Use only


Handling

Pathways:

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months







Immunohistochemistry (Paraffin-embedded Sections)

Image 1. CDKN2C Antibody (C-term) (ABIN654908 and ABIN2844555) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CDKN2C Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. Anti-CDKN2C Antibody (C-term) at 1:2000 dilution + NIH/3T3 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 18 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Western Blotting

Image 3. Western blot analysis of CDKN2C (arrow) using rabbit polyclonal CDKN2C Antibody (C-term) (ABIN654908 and ABIN2844555). 293 cell lysates (2 μ g/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the CDKN2C gene.