



[Go to Product page](#)

Datasheet for ABIN654975

anti-TANGO6/TMC07 antibody (C-Term)

2 Images

Overview

Quantity:	400 µL
Target:	TANGO6/TMC07 (TANGO6)
Binding Specificity:	AA 904-933, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TANGO6/TMC07 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This TMC07 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 904-933 amino acids from the C-terminal region of human TMC07.
Clone:	RB28039
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	TANGO6/TMC07 (TANGO6)
Alternative Name:	TMC07 (TANGO6 Products)
Molecular Weight:	120748

Target Details

Gene ID: 79613

NCBI Accession: [NP_078838](#)

UniProt: [Q9C0B7](#)

Application Details

Application Notes: WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. TMC07 antibody (C-term) (ABIN654975 and ABIN2844615) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the TMC07 antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. TMC07 Antibody (C-term) (ABIN654975 and ABIN2844615) western blot analysis in K562 cell line lysates (35 µg/lane). This demonstrates the TMC07 antibody detected the TMC07 protein (arrow).