



[Go to Product page](#)

Datasheet for ABIN655210
anti-ANKRD5 antibody (C-Term)

2 Images

Overview

| | |
|----------------------|--|
| Quantity: | 400 µL |
| Target: | ANKRD5 |
| Binding Specificity: | AA 721-749, C-Term |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ANKRD5 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|---------------|--|
| Immunogen: | This ANKRD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 721-749 amino acids from the C-terminal region of human ANKRD5. |
| Clone: | RB28855 |
| Isotype: | Ig Fraction |
| Purification: | This antibody is purified through a protein A column, followed by peptide affinity purification. |

Target Details

| | |
|-------------------|--|
| Target: | ANKRD5 |
| Alternative Name: | ANKRD5 (ANKRD5 Products) |
| Molecular Weight: | 86664 |

Target Details

| | |
|-----------------|---|
| Gene ID: | 63926 |
| NCBI Accession: | NP_071379 , NP_942093 |
| UniProt: | Q9NU02 |


Application Details

| | |
|--------------------|----------------------------|
| Application Notes: | WB: 1:1000. IHC-P: 1:10~50 |
| Restrictions: | For Research Use only |

Handling


| | |
|--------------------|--|
| Format: | Liquid |
| Buffer: | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles. |
| Expiry Date: | 6 months |

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. ANKRD5 Antibody (C-term) (ABIN655210 and ABIN2844824) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ANKRD5 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. ANKRD5 Antibody (C-term) (ABIN655210 and ABIN2844824) western blot analysis in mouse testis tissue lysates (35 µg/lane). This demonstrates the ANKRD5 antibody detected the ANKRD5 protein (arrow).