

Datasheet for ABIN655226
anti-FAM69B antibody (N-Term)

2 Images

[Go to Product page](#)

Overview

Quantity:	400 µL
Target:	FAM69B
Binding Specificity:	AA 107-136, N-Term
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM69B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This FAM69B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 107-136 amino acids from the N-terminal region of human FAM69B.
Clone:	RB28924
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	FAM69B
Alternative Name:	FAM69B (FAM69B Products)
Molecular Weight:	48583

Target Details

Gene ID:	138311
NCBI Accession:	NP_689634
UniProt:	Q5VUD6


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. FB Antibody (N-term) (ABIN655226 and ABIN2844832) immunohistochemistry analysis in formalin fixed and paraffin embedded human m.heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FB Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. FB Antibody (N-term) (ABIN655226 and ABIN2844832) western blot analysis in mouse cerebellum tissue lysates (35 µg/lane). This demonstrates the FB antibody detected the FB protein (arrow).