antibodies.com

Datasheet for ABIN655236 anti-CLEC4F antibody (C-Term)

4 Images



Overview

Quantity:	400 µL
Target:	CLEC4F
Binding Specificity:	AA 311-339, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLEC4F antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details


Immunogen:	This CLEC4F antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 311-339 amino acids from the C-terminal region of human CLEC4F.
Clone:	RB28979
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.


Target Details


Target:	CLEC4F
Alternative Name:	CLEC4F (CLEC4F Products)
Background:	Receptor with an affinity for galactose and fucose. Could be involved in endocytosis (By

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN655236 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

	similarity).
Molecular Weight:	65519
Gene ID:	165530
NCBI Accession:	NP_775806
UniProt:	Q8N1N0
Application Details	
Application Notes:	WB: 1:500. WB: 1:2000. IHC-P-Leica: 1:250. IHC-P-Leica: 1:250
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months







Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemical analysis of (ABIN655236 and ABIN2844840) on paraffin-embedded human liver tissue was performed on the Leica®BOND RXm. Tissue was fixed with formaldehyde at room temperature. Heat induced epitope retrieval was performed by EDTA buffer (pH 9. 0). Samples were incubated with primary Antibody (1:250) for 15 min at room temperature. Leica Bond Polymer Refine Detection was used as the secondary antibody.

Western Blotting

Image 2. Anti-CLEC4F Antibody (C-term) at 1:500 dilution + CCRF-CEM whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 66 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Western Blotting

Image 3. All lanes : Anti-CLEC4F Antibody (C-term) at 1:2000 dilution Lane 1: Hela whole cell lysate Lane 2: U-2OS whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 66 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Please check the product details page for more images. Overall 4 images are available for ABIN655236.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN655236 | 09/12/2023 | Copyright antibodies-online. All rights reserved.