



Datasheet for ABIN655283
anti-FBXO47 antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	400 µL
Target:	FBXO47
Binding Specificity:	AA 114-143, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FBXO47 antibody is un-conjugated
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This FBXO47 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 114-143 amino acids from the N-terminal region of human FBXO47.
Clone:	RB28422
Isotype:	IgG
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	FBXO47
Alternative Name:	FBXO47 (FBXO47 Products)
Background:	Probably recognizes and binds to some phosphorylated proteins and promotes their

Target Details

ubiquitination and degradation (By similarity).

Gene ID: 494188

NCBI Accession: [NP_001008777](#)

UniProt: [Q5MNV8](#)

Application Details

Application Notes: IHC-P: 1:50~100

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

Images



Western Blotting

Image 1. FBX047 Antibody (N-term) (ABIN655283 and ABIN2844874) western blot analysis in mouse kidney tissue lysates (35 µg/lane). This demonstrates the FBX047 antibody detected the FBX047 protein (arrow).



Immunohistochemistry (Paraffin-embedded Sections)

Image 2. FBXO47 Antibody (N-term) (ABIN655283 and ABIN2844874) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FBXO47 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.