



[Go to Product page](#)

Datasheet for ABIN655296

anti-C11orf95 antibody (C-Term)

3 Images

Overview

Quantity:	400 µL
Target:	C11orf95
Binding Specificity:	AA 556-584, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C11orf95 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This C9JLR9 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 556-584 amino acids from the C-terminal region of human C9JLR9.
Clone:	RB29021
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	C11orf95
---------	----------

Target Details

Alternative Name: C9JLR9 ([C11orf95 Products](#))

Molecular Weight: 73197

Gene ID: 65998

NCBI Accession: [NP_001138408](#)

UniProt: [C9JLR9](#)

Application Details

Application Notes: IF: 1:10~50. WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C


Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.

Expiry Date: 6 months




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. C9JLR9 Antibody (C-term) (ABIN655296 and ABIN2844883) immunohistochemistry analysis in formalin fixed and paraffin embedded human adipose tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of C9JLR9 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. C9JLR9 Antibody (C-term) (ABIN655296 and ABIN2844883) western blot analysis in HepG2 cell line lysates (35 µg/lane). This demonstrates the C9JLR9 antibody detected the C9JLR9 protein (arrow).



Immunofluorescence

Image 3. Confocal immunofluorescent analysis of C9JLR9 Antibody (C-term) (ABIN655296 and ABIN2844883) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).