



[Go to Product page](#)

Datasheet for ABIN655301
anti-CCDC97 antibody (C-Term)

2 Images

Overview

Quantity:	400 µL
Target:	CCDC97
Binding Specificity:	AA 241-269, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCDC97 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This CCDC97 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 241-269 amino acids from the C-terminal region of human CCDC97.
Clone:	RB29042
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	CCDC97
Alternative Name:	CCDC97 (CCDC97 Products)
Molecular Weight:	38947

Target Details

Gene ID: 90324

NCBI Accession: [NP_443080](#)

UniProt: [Q96F63](#)

Application Details

Application Notes: WB: 1:1000. IHC-P: 1:10~50

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.


Expiry Date: 6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. CCDC97 Antibody (C-term) (ABIN655301 and ABIN2844887) immunohistochemistry analysis in formalin fixed and paraffin embedded human esophageal carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of CCDC97 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. CCDC97 Antibody (C-term) (ABIN655301 and ABIN2844887) western blot analysis in Y79 cell line lysates (35 µg/lane). This demonstrates the CCDC97 antibody detected the CCDC97 protein (arrow).