antibodies -online.com





Datasheet for ABIN655340

anti-F8A2 antibody (N-Term)





Go to Product page

\sim	
()\/\	rview
\cup	

Quantity:	400 μL
Target:	F8A2
Binding Specificity:	AA 12-40, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This F8A2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This F8A2 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 12-40 amino acids from the N-terminal region of human F8A2.
Clone:	RB29381
Isotype:	IgG
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	F8A2
Alternative Name:	F8A2 (F8A2 Products)
Background:	This gene is part of a region that is repeated three times on chromosome X, once in intron 22 of

Target Details


	the F8 gene and twice closer to the Xq telomere. This record represents the middle copy. Although its function is unknown, the observation that this gene is conserved in the mouse implies it has some function. Unlike factor VIII, this gene is transcribed abundantly in a wide variety of cell types.
Molecular Weight:	39103
Gene ID:	474383, 474384, 8263
NCBI Accession:	NP_001007524, NP_001007525, NP_036283
UniProt:	P23610

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



Western Blotting

Image 1. F8A2 Antibody (N-term) (ABIN655340 and ABIN2844904) western blot analysis in CEM cell line lysates (35 μ g/lane).This demonstrates the F8A2 antibody detected the F8A2 protein (arrow).