antibodies -online.com







anti-HNRNPCL1 antibody (C-Term)

Images



Overview	
Quantity:	400 μL
Target:	HNRNPCL1
Binding Specificity:	AA 252-281, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPCL1 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This HNRNPCL1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 252-281 amino acids from the C-terminal region of human

Immunogen:	This HNRNPCL1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 252-281 amino acids from the C-terminal region of human HNRNPCL1.
Clone:	RB29317
Isotype:	lg Fraction
Predicted Reactivity:	Rb
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target: HNRNPCL1

Target Details


Alternative Name:	HNRNPCL1 (HNRNPCL1 Products)
Background:	May play a role in nucleosome assembly by neutralizing basic proteins such as A and B core hnRNPs (By similarity).
Molecular Weight:	32142
Gene ID:	343069
NCBI Accession:	NP_001013653
UniProt:	060812

Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months




Flow Cytometry

Image 1. HNRNPCL1 Antibody (C-term) (ABIN655435 and ABIN2844970) flow cytometric analysis of MDA-M cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. HNRNPCL1 Antibody (C-term) (ABIN655435 and ABIN2844970) western blot analysis in MDA-M cell line lysates ($35 \,\mu g/lane$). This demonstrates the HNRNPCL1 antibody detected the HNRNPCL1 protein (arrow).



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. HNRNPCL1 Antibody (C-term) (ABIN655435 and ABIN2844970) immunohistochemistry analysis in formalin fixed and paraffin embedded human uterus tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of HNRNPCL1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.