antibodies -online.com





anti-TRIM65 antibody (AA 327-355)



Images



Go to Product page

\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	400 μL
Target:	TRIM65
Binding Specificity:	AA 327-355
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIM65 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Flow Cytometry (FACS),
	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Product Details Immunogen:	This TRIM65 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	This TRIM65 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 327-355 amino acids from the Central region of human TRIM65.
Immunogen:	peptide between 327-355 amino acids from the Central region of human TRIM65.
Immunogen: Clone:	peptide between 327-355 amino acids from the Central region of human TRIM65. RB29692
Immunogen: Clone: Isotype:	peptide between 327-355 amino acids from the Central region of human TRIM65. RB29692 Ig Fraction
Immunogen: Clone: Isotype: Purification:	peptide between 327-355 amino acids from the Central region of human TRIM65. RB29692 Ig Fraction

Target Details


Background:	TRIM65 belongs to the TRIM/RBCC family. It contains one B box-type zinc finger, one B30.2/SPRY domain and one RING-type zinc finger.
Molecular Weight:	57353
Gene ID:	201292
NCBI Accession:	NP_001243053, NP_775818
UniProt:	Q6PJ69

Application Details

Application Notes:	IF: 1:10~50. WB: 1:1000. IHC-P: 1:10~50. FC: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months




Flow Cytometry

Image 1. TRIM65 Antibody (Center) (ABIN655759 and ABIN2845202) flow cytometric analysis of NCI- cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



Western Blotting

Image 2. TRIM65 Antibody (Center) (ABIN655759 and ABIN2845202) western blot analysis in NCI- cell line lysates (35 μ g/lane). This demonstrates the TRIM65 antibody detected the TRIM65 protein (arrow).



Immunofluorescence

Image 3. Confocal immunofluorescent analysis of TRIM65 Antibody (Center) (ABIN655759 and ABIN2845202) with NCI- cell followed by Alexa Fluor 488-conjugated goat antirabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red).DI was used to stain the cell nuclear (blue).

Please check the product details page for more images. Overall 4 images are available for ABIN655759.