



[Go to Product page](#)

Datasheet for ABIN655889

anti-STK32A antibody (N-Term)

2 Images

Overview

Quantity:	400 µL
Target:	STK32A
Binding Specificity:	AA 1-30, N-Term
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK32A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This STK32A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human STK32A.
Clone:	RB09780
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	STK32A
Alternative Name:	STK32A (STK32A Products)
Background:	STK32A is a member of the serine/threonine protein kinase family. The specific function of this

Target Details

kinase is not known.

Molecular Weight: 46369

Gene ID: 202374

NCBI Accession: [NP_001106195](#), [NP_659438](#)

UniProt: [Q8WU08](#)

Application Details

Application Notes: WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C


Storage Comment: Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.

Expiry Date: 6 months



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. STK32A Antibody (N-term) (ABIN655889 and ABIN2845288) immunohistochemistry analysis in formalin fixed and paraffin embedded human bladder carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of STK32A Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. STK32A Antibody (N-term) (ABIN655889 and ABIN2845288) western blot analysis in mouse spleen tissue lysates (35 µg/lane). This demonstrates the STK32A antibody detected the STK32A protein (arrow).