antibodies -online.com





anti-SKOR2 antibody (C-Term)





Go to Product page

Overview	
Quantity:	400 μL
Target:	SKOR2
Binding Specificity:	AA 870-898, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SKOR2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
lmmunogen:	This FUSSEL18 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 870-898 amino acids from the C-terminal region of human FUSSEL18.
Clone:	RB29957
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	SKOR2
Alternative Name:	FUSSEL18 (SKOR2 Products)
Background:	SKOR2 exhibits transcriptional repressor activity (By similarity) and acts as a TGF-beta

Target Details


	antagonist in the nervous system.
Molecular Weight:	104235
Gene ID:	652991
NCBI Accession:	NP_001032891
UniProt:	Q2VWA4


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months





Immunohistochemistry (Paraffin-embedded Sections)

Image 1. FUSSEL18 Antibody (C-term) (ABIN655936 and ABIN2845328) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FUSSEL18 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. FUSSEL18 Antibody (C-term) (ABIN655936 and ABIN2845328) western blot analysis in K562 cell line lysates (35 μ g/lane). This demonstrates the FUSSEL18 antibody detected the FUSSEL18 protein (arrow).