

Datasheet for ABIN6559818
anti-CD164 antibody (PE)[Go to Product page](#)

1 Image

Overview

Quantity:	100 tests
Target:	CD164
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD164 antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	Breast tumor cell line T-47D
Clone:	67D2
Isotype:	IgG1
Specificity:	The mouse monoclonal antibody 67D2 recognizes an extracellular class III epitope (not sensitive to sialidase, N-glycanase, O-glycosidase, and O-sialoglycoprotease) of CD164, a sialomucin expressed in hematopoietic myeloid and erythroid progenitors, activated basophils, and in various carcinomas and leukemic cells.
Cross-Reactivity (Details):	Human
Purification:	Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Target Details


Target:	CD164
Alternative Name:	CD164 (CD164 Products)
Background:	CD164 Molecule,CD164, also known as endolyn, is a type I transmembrane protein with heavily glycosylated extracellular part containing sialic acid and glycosaminoglycan residues. CD164 plays both adhesive and antiadhesive role and serves as a potent negative regulator for CD34+ CD38- hematopoietic progenitor cell proliferation. It has also been reported to be involved in myogenic differentiation and cancer metastasis. The adhesive and negative regulatory functions seem to depend on different posttranslational modifications of CD164 protein.,DFNA66, MUC-24, MGC-24, endolyn
Gene ID:	8763
UniProt:	Q04900

Application Details

Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µL reagent / 100 µL of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Comment:	The purified antibody is conjugated with R-Phycoerythrin (PE) under optimum conditions. The conjugate is purified by size-exclusion chromatography and adjusted for direct use. No reconstitution is necessary.
Restrictions:	For Research Use only

Handling

Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	The purified antibody is conjugated with R-Phycoerythrin (PE) under optimum conditions. The conjugate is purified by size-exclusion chromatography and adjusted for direct use. No reconstitution is necessary.
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.



Flow Cytometry

Image 1. Flow cytometry analysis (surface staining) of human peripheral blood cells using anti-CD164 (67D2) PE.