

Datasheet for ABIN656029  
**anti-NIPSNAP3B antibody (C-Term)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	400 µL
Target:	NIPSNAP3B
Binding Specificity:	AA 189-218, C-Term
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NIPSNAP3B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This NIPSNAP3B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 189-218 amino acids from the C-terminal region of human NIPSNAP3B.
Clone:	RB20190
Isotype:	Ig Fraction
Predicted Reactivity:	H
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	NIPSNAP3B
---------	-----------

## Target Details

Alternative Name:	NIPSNAP3B ( <a href="#">NIPSNAP3B Products</a> )
Background:	NIPSNAP3B belongs to a family of proteins with putative roles in vesicular trafficking (Buechler et al., 2004 [PubMed 15177564]).
Molecular Weight:	28313
Gene ID:	55335
NCBI Accession:	<a href="#">NP_060846</a>
UniProt:	<a href="#">Q9BS92</a>

## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** NIPSNB Antibody (C-term) (ABIN656029 and ABIN2845403) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NIPSNB Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



#### Western Blotting

**Image 2.** NIPSNB Antibody (C-term) (ABIN656029 and ABIN2845403) western blot analysis in mouse liver tissue lysates (35 µg/lane). This demonstrates the NIPSNB antibody detected the NIPSNB protein (arrow).