# antibodies -online.com





anti-PCDHA3 antibody (C-Term)





Go to Product page

Overview	
Quantity:	400 μL
Target:	PCDHA3
Binding Specificity:	AA 773-800, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PCDHA3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This PCDHA3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 773-800 amino acids from the C-terminal region of human PCDHA3.
Clone:	RB31606
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	PCDHA3
Alternative Name:	PCDHA3 (PCDHA3 Products)
Background:	This gene is a member of the protocadherin alpha gene cluster, one of three related gene

clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined.


Molecular Weight:	102428
Gene ID:	56145
NCBI Accession:	NP_061729, NP_113685
UniProt:	O9Y5H8

# Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

## Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	



MDA-	MB231
250	
130	
95	-∢
72	
55	•

### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** PCDHA3 Antibody (C-term) (ABIN656078 and ABIN2845425) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of PCDHA3 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

#### **Western Blotting**

**Image 2.** PCDHA3 Antibody (C-term) (ABIN656078 and ABIN2845425) western blot analysis in MDA-M cell line lysates ( $35 \,\mu g$ /lane). This demonstrates the PCDHA3 antibody detected the PCDHA3 protein (arrow).