# antibodies -online.com





## anti-MORN5 antibody (C-Term)

2 Images



#### Overview

Overview	
Quantity:	400 μL
Target:	MORN5
Binding Specificity:	AA 93-122, C-Term
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MORN5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This MORN5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 93-122 amino acids from the C-terminal region of human MORN5.
Clone:	RB29645
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	MORN5
Alternative Name:	MORN5 (MORN5 Products)
Molecular Weight:	18731

#### **Target Details**

Gene ID:	254956
NCBI Accession:	NP_940871
UniProt:	Q5VZ52


#### **Application Details**

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

#### Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	MORN5 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

#### **Images**



### Immunohistochemistry (Paraffin-embedded Sections)

Image 1. MORN5 Antibody (C-term) (ABIN656139 and ABIN2845478) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of MORN5 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



#### **Western Blotting**

**Image 2.** MORN5 Antibody (C-term) (ABIN656139 and ABIN2845478) western blot analysis in mouse kidney tissue lysates (35  $\mu$ g/lane).This demonstrates the MORN5 antibody detected the MORN5 protein (arrow).