antibodies -online.com





anti-OR10AG1 antibody (C-Term)



Image



Go to Product page

| \sim | |
|--------|-------|
| ()\/\ | rview |
| \cup | |

| Quantity: | 400 μL |
|----------------------|--|
| Target: | OR10AG1 |
| Binding Specificity: | AA 235-263, C-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This OR10AG1 antibody is un-conjugated |
| Application: | Western Blotting (WB) |
| Product Details | |
| Immunogen: | This OR10AG1 antibody is generated from rabbits immunized with a KLH conjugated synthetic |
| | peptide between 235-263 amino acids from the C-terminal region of human OR10AG1. |
| Clone: | RB31182 |
| Isotype: | Ig Fraction |
| Purification: | This antibody is purified through a protein A column, followed by peptide affinity purification. |
| Target Details | |
| Target: | OR10AG1 |
| Alternative Name: | OR10AG1 (OR10AG1 Products) |
| | |

Target Details

that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

 Molecular Weight:
 34105

 Gene ID:
 282770

 NCBI Accession:
 NP_001005491

 UniProt:
 Q8NH19


Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | OR10AG1 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C. |
| Expiry Date: | 6 months |



Western Blotting

Image 1. OR10AG1 Antibody (C-term) (ABIN656252 and ABIN2845567) western blot analysis in MDA-M cell line lysates ($35\,\mu g$ /lane).This demonstrates the OR10AG1 antibody detected the OR10AG1 protein (arrow).