antibodies - online.com







anti-OR6K2 antibody (C-Term)



Image



\sim						
	1//	Д	r۱	/1	\triangle	٨

Background:

peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction			
Binding Specificity: AA 276-304, C-Term Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This OR6K2 antibody is un-conjugated Application: Western Blotting (WB) Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification:	Quantity:	400 μL	
Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This OR6K2 antibody is un-conjugated Application: Western Blotting (WB) Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synthesis peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification:	Target:	OR6K2	
Host: Rabbit Clonality: Polyclonal Conjugate: This OR6K2 antibody is un-conjugated Application: Western Blotting (WB) Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification:	Binding Specificity:	AA 276-304, C-Term	
Clonality: Polyclonal Conjugate: This OR6K2 antibody is un-conjugated Application: Western Blotting (WB) Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Reactivity:	Human	
Conjugate: This OR6K2 antibody is un-conjugated Application: Western Blotting (WB) Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Host:	Rabbit	
Application: Western Blotting (WB) Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Clonality:	Polyclonal	
Product Details Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Conjugate:	This OR6K2 antibody is un-conjugated	
Immunogen: This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synth peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Application:	Western Blotting (WB)	
peptide between 276-304 amino acids from the C-terminal region of human OR6K2. Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Product Details		
Clone: RB31253 Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Immunogen:	This OR6K2 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
Isotype: Ig Fraction Purification: This antibody is purified through a protein A column, followed by peptide affinity purifical Target Details		peptide between 276-304 amino acids from the C-terminal region of human OR6K2.	
Purification: This antibody is purified through a protein A column, followed by peptide affinity purification: Target Details	Clone:	RB31253	
Target Details	Isotype:	lg Fraction	
	Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target: OR6K2	Target Details		
	Target:	OR6K2	
	Alternative Name:	OR6K2 (OR6K2 Products)	

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response

Target Details

that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Molecular Weight: 36513

Gene ID: 81448

NCBI Accession: NP_001005279

UniProt: Q8NGY2

Application Details

Application Notes: WB: 1:1000

storage, place the at -20 °C.

Restrictions: For Research Use only

Handling

Format:

Liquid

Buffer:

Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage:

4 °C,-20 °C

Storage Comment:

OR6K2 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term

Expiry Date: 6 months



Western Blotting

Image 1. OR6K2 Antibody (C-term) (ABIN656445 and ABIN2845730) western blot analysis in HL-60 cell line lysates ($35\,\mu g/lane$). This demonstrates the OR6K2 antibody detected the OR6K2 protein (arrow).