



[Go to Product page](#)

Datasheet for ABIN656532

## anti-C10ORF129 antibody (C-Term)

### 2 Images

#### Overview

Quantity:	400 µL
Target:	C10ORF129
Binding Specificity:	AA 433-460, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C10ORF129 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

#### Product Details

Immunogen:	This C10orf129 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 433-460 amino acids from the C-terminal region of human C10orf129.
Clone:	RB32038
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Target Details

Target:	C10ORF129
Alternative Name:	C10orf129 ( <a href="#">C10ORF129 Products</a> )
Background:	The exact functions of this protein remain unknown.

## Target Details

Molecular Weight:	53585
Gene ID:	142827
NCBI Accession:	<a href="#">NP_997204</a>
UniProt:	<a href="#">Q6P461</a>


## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	C10orf129 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

## Images



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** C10orf129 Antibody (C-term) (ABIN656532 and ABIN2845798) immunohistochemistry analysis in formalin fixed and paraffin embedded human heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of C10orf129 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



### Western Blotting

**Image 2.** C10orf129 Antibody (C-term) (ABIN656532 and ABIN2845798) western blot analysis in A549,HepG2 cell line lysates (35 µg/lane).This demonstrates the C10orf129 antibody detected the C10orf129 protein (arrow).