antibodies -online.com







anti-PCDHA7 antibody (AA 272-300)





_			
	$ \backslash / \cap$	r\/I	ew
\sim	' V C	. I V I	C V V

Overview	
Quantity:	400 μL
Target:	PCDHA7
Binding Specificity:	AA 272-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PCDHA7 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This PCDHA7 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 272-300 amino acids from the Central region of human PCDHA7.
Clone:	RB30194
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	PCDHA7
Alternative Name:	PCDHA7 (PCDHA7 Products)
Background:	This gene is a member of the protocadherin alpha gene cluster, one of three related gene

clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined.


Molecular Weight:	100865
Gene ID:	56141
NCBI Accession:	NP_061733, NP_114040
UniProt:	09UN72


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	PCDHA7 Antibody (Center) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.	
Expiry Date:	6 months	





Immunohistochemistry (Paraffin-embedded Sections)

Image 1. PCDHA7 Antibody (Center) (ABIN656584 and ABIN2845846) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of PCDHA7 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

Western Blotting

Image 2. PCDHA7 Antibody (Center) (ABIN656584 and ABIN2845846) western blot analysis in NCI- cell line lysates (35 μ g/lane).This demonstrates the PCDHA7 antibody detected the PCDHA7 protein (arrow).