antibodies - online.com







anti-NRSN2 antibody (C-Term)





| U | ٧ | eı | rv | 1 | e | V | ١ |
|---|---|----|----|---|---|---|---|
| | | | | | | | |

| Overview | | |
|----------------------|--|--|
| Quantity: | 400 μL | |
| Target: | NRSN2 | |
| Binding Specificity: | AA 128-157, C-Term | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This NRSN2 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) | |
| Product Details | | |
| Immunogen: | This NRSN2 antibody is generated from rabbits immunized with a KLH conjugated synthetic | |
| | peptide between 128-157 amino acids from the C-terminal region of human NRSN2. | |
| Clone: | RB31370 | |
| Isotype: | Ig Fraction | |
| Purification: | This antibody is purified through a protein A column, followed by peptide affinity purification. | |
| | | |
| Target Details | | |
| Target: | NRSN2 | |
| Alternative Name: | NRSN2 (NRSN2 Products) | |
| Background: | NRSN2 may play a role in maintenance and/or transport of vesicles. | |
| | | |

Target Details

| Molecular Weight: | 21983 | |
|-------------------|-----------|--|
| Gene ID: | 80023 | |
| NCBI Accession: | NP_079234 | |
| UniProt: | Q9GZP1 | |


Application Details

| Application Notes: | WB: 1:1000. IHC-P: 1:10~50 |
|--------------------|----------------------------|
| Restrictions: | For Research Use only |

Handling


| Format: | Liquid | |
|--------------------|--|--|
| Buffer: | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | NRSN2 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C. | |
| Expiry Date: | 6 months | |

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. NRSN2 Antibody (C-term) (ABIN656599 and ABIN2845860) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NRSN2 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. NRSN2 Antibody (C-term) (ABIN656599 and ABIN2845860) western blot analysis in K562 cell line lysates (35 μ g/lane).This demonstrates the NRSN2 antibody detected the NRSN2 protein (arrow).