# antibodies -online.com









Go to Product page

U	٧	е	r۱	/	e'	V	٧

Quantity:	400 μL
Target:	m1ip1
Binding Specificity:	AA 24-51, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This m1ip1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow
	Cytometry (FACS)

#### **Product Details**

Immunogen:	This MID1IP1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 24-51 amino acids from the N-terminal region of human MID1IP1.
Clone:	RB18240
Isotype:	lg Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

## **Target Details**

Target:	m1ip1
Alternative Name:	MID1IP1 (m1ip1 Products)

## **Target Details**


Background:	MID1IP1 is involved in stabilization of microtubules (By similarity).
Molecular Weight:	20202
Gene ID:	58526
NCBI Accession:	NP_001092260, NP_001092261, NP_067065
UniProt:	Q9NPA3

# **Application Details**

Application Notes:	WB: 1:1000. IHC-P: 1:10~50. FC: 1:10~50
Restrictions:	For Research Use only


# Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	MID1IP1 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months




#### **Flow Cytometry**

**Image 1.** MID1IP1 Antibody (N-term) (ABIN656689 and ABIN2845926) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.



#### **Western Blotting**

**Image 2.** Western blot analysis of MID1IP1 (arrow) using rabbit polyclonal MID1IP1 Antibody (N-term) (ABIN656689 and ABIN2845926). 293 cell lysates ( $2 \mu g$ /lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the MID1IP1 gene.



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 3.** MID1IP1 Antibody (N-term) (ABIN656689 and ABIN2845926) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of MID1IP1 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.