

Datasheet for ABIN656755  
**anti-ABRA antibody (C-Term)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	400 µL
Target:	ABRA
Binding Specificity:	AA 275-304, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ABRA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This ABRA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 275-304 amino acids from the C-terminal region of human ABRA.
Clone:	RB32529
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	ABRA
Alternative Name:	ABRA ( <a href="#">ABRA Products</a> )
Background:	ABRA acts as an activator of serum response factor (SRF)-dependent transcription possibly by

## Target Details



	inducing nuclear translocation of MKL1 or MKL2 and through a mechanism requiring Rho-actin signaling (By similarity).
Molecular Weight:	43117
Gene ID:	137735
NCBI Accession:	<a href="#">NP_631905</a>
UniProt:	<a href="#">Q8N0Z2</a>
Pathways:	<a href="#">Protein targeting to Nucleus</a>

## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	ABRA Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months



**Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** ABRA Antibody (C-term) (ABIN656755 and ABIN2845977) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ABRA Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

**Western Blotting**

**Image 2.** ABRA Antibody (C-term) (ABIN656755 and ABIN2845977) western blot analysis in human normal Uterus tissue lysates (35 µg/lane). This demonstrates the ABRA antibody detected the ABRA protein (arrow).