

Datasheet for ABIN656783  
**anti-POGK antibody (N-Term)**[Go to Product page](#)

## 1 Image

## Overview

|                      |                       |
|----------------------|-----------------------|
| Quantity:            | 400 µL                |
| Target:              | POGK                  |
| Binding Specificity: | AA 254-283, N-Term    |
| Reactivity:          | Human                 |
| Host:                | Rabbit                |
| Clonality:           | Polyclonal            |
| Application:         | Western Blotting (WB) |

## Product Details

|                       |  |
|-----------------------|--|
| Immunogen:            | This POGK antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 254-283 amino acids from the N-terminal region of human POGK. |
| Clone:                | RB32631  |
| Isotype:              | Ig Fraction  |
| Predicted Reactivity: | M  |
| Purification:         | This antibody is purified through a protein A column, followed by peptide affinity purification.   |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | POGK  |
| Alternative Name: | POGK ( <a href="#">POGK Products</a> )  |
| Background:       | The exact function of the protein encoded by this gene is not known. However, this gene |

## Target Details

product contains a KRAB domain (which is involved in protein-protein interactions) at the N-terminus, and a transposase domain at the C-terminus, suggesting that it may belong to the family of DNA-mediated transposons in human.

Molecular Weight: 69444

Gene ID: 57645

NCBI Accession: [NP\\_060012](#)

UniProt: [Q9P215](#)

## Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: POGK Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.

Expiry Date: 6 months



### Western Blotting

**Image 1.** Western blot analysis of lysate from HeLa cell line, using POGK Antibody (N-term) (ABIN656783 and ABIN2846001). (ABIN656783 and ABIN2846001) was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35 µg per lane.