antibodies - online.com







anti-OR13F1 antibody (C-Term)



Image



\sim	
()\/\	rview
\cup	

Background:

Quantity:	400 μL
Target:	OR13F1
Binding Specificity:	AA 244-272, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OR13F1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This OR13F1 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 244-272 amino acids from the C-terminal region of human OR13F1.
Clone:	RB33161
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
T 1017	
Target Details	
Target:	OR13F1
Alternative Name:	OR13F1 (OR13F1 Products)

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response

Target Details

that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

Molecular Weight: 35646

NCBI Accession: NP_001004485

UniProt: Q8NGS4

Application Details


Application Notes: WB: 1:1000

For Research Use only

Handling

Restrictions:

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Expiry Date:	6 months



Western Blotting

Image 1. OR13F1 Antibody (C-term) (ABIN657181 and ABIN2846309) western blot analysis in K562 cell line lysates (35 μ g/lane).This demonstrates the OR13F1 antibody detected the OR13F1 protein (arrow).