

Datasheet for ABIN657206
anti-NT5C3L antibody (N-Term)[Go to Product page](#)

2 Images

Overview

| | |
|----------------------|--|
| Quantity: | 400 µL |
| Target: | NT5C3L |
| Binding Specificity: | AA 70-98, N-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This NT5C3L antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|---------------|--|
| Immunogen: | This NT5C3L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 70-98 amino acids from the N-terminal region of human NT5C3L. |
| Clone: | RB33234 |
| Isotype: | Ig Fraction |
| Purification: | This antibody is purified through a protein A column, followed by peptide affinity purification. |

Target Details

| | |
|-------------------|--|
| Target: | NT5C3L |
| Alternative Name: | NT5C3L (NT5C3L Products) |
| Background: | NT5C3L can act both as nucleotidase and as phosphotransferase (By similarity). |

Target Details

| | |
|-------------------|---------------------------|
| Molecular Weight: | 34389 |
| NCBI Accession: | NP_443167 |
| UniProt: | Q969T7 |


Application Details

| | |
|--------------------|----------------------------|
| Application Notes: | WB: 1:1000. IHC-P: 1:10~50 |
| Restrictions: | For Research Use only |

Handling


| | |
|--------------------|--|
| Format: | Liquid |
| Buffer: | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Expiry Date: | 6 months |

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. NT5C3L Antibody (N-term) (ABIN657206 and ABIN2846319) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NT5C3L Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. NT5C3L Antibody (N-term) (ABIN657206 and ABIN2846319) western blot analysis in human placenta tissue lysates (35 µg/lane). This demonstrates the NT5C3L antibody detected the NT5C3L protein (arrow).