



Datasheet for ABIN657331  
**anti-WDR89 antibody (C-Term)**



[Go to Product page](#)

2 Images

Overview

Quantity:	400 µL
Target:	WDR89
Binding Specificity:	AA 359-387, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR89 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This WDR89 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 359-387 amino acids from the C-terminal region of human WDR89.
Clone:	RB33353
Isotype:	Ig Fraction
Predicted Reactivity:	B
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	WDR89
Alternative Name:	WDR89 ( <a href="#">WDR89 Products</a> )

## Target Details

Background: The specific function of WDR89 remains unknown.

Molecular Weight: 43215

NCBI Accession: [NP\\_001008726](#), [NP\\_001245201](#), [NP\\_542397](#)

UniProt: [Q96FK6](#)

## Application Details

Application Notes: WB: 1:1000. IHC-P: 1:10~50

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C


Expiry Date: 6 months

## Images



### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** WDR89 Antibody (C-term) (ABIN657331 and ABIN2846400) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of WDR89 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



### Western Blotting

**Image 2.** WDR89 Antibody (C-term) (ABIN657331 and ABIN2846400) western blot analysis in human normal Uterus tissue lysates (35 µg/lane). This demonstrates the WDR89 antibody detected the WDR89 protein (arrow).