



[Go to Product page](#)

Datasheet for ABIN657366
anti-ARMC9 antibody (N-Term)

2 Images

Overview

Quantity:	400 µL
Target:	ARMC9
Binding Specificity:	AA 95-124, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ARMC9 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This ARMC9 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 95-124 amino acids from the N-terminal region of human ARMC9.
Clone:	RB32514
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	ARMC9
Alternative Name:	ARMC9 (ARMC9 Products)
Background:	The specific function of the protein remains unknown.

Target Details

Molecular Weight:	91819
Gene ID:	80210
NCBI Accession:	NP_001258395 , NP_079415
UniProt:	Q7Z3E5


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	ARMC9 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, place the at -20 °C.
Expiry Date:	6 months

Images



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. ARMC9 Antibody (N-term) (ABIN657366 and ABIN2846413) immunohistochemistry analysis in formalin fixed and paraffin embedded human melanoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ARMC9 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



Western Blotting

Image 2. ARMC9 Antibody (N-term) (ABIN657366 and ABIN2846413) western blot analysis in CEM cell line lysates (35 µg/lane). This demonstrates the ARMC9 antibody detected the ARMC9 protein (arrow).